Brain Research, 443 (1988) 407–409
Elsevier

Author Index

Allard, M., see Simonnet, G., 403
Anderton, P.J., see Normann, R.A., 95
Ariano, M.A., Striatal D_1 dopamine receptor distribution following chemical lesion of the nigrostriatal pathway, 204

Band, L.C., see Pehek, E.A., 70
Basbaum, A.I., see Lakos, S., 383
Bazzett, T.J., see Pehek, E.A., 70
Beauvillain, J.C., Mitchell, V., Tramu, G. and Mazzuca, M., GABA axon terminals in synaptic contact with enkephalin neurons in the hypothalamus of the guinea pig. Demonstration by double immunocytochemistry, 315
Benshalom, G. and White, E.L., Dendritic spines are susceptible to structural alterations induced by degeneration of their presynaptic afferents, 377
Bergouignan, F.X., see Peyronnard, J.M., 295
Bianchi, A.L., see Grelot, L., 27
Biggio, G., see Malatynska, E., 395
Binmöller, F.-J., see Reiser, G., 338
Bitran, D., see Pehek, E.A., 70
Brady, L.C., Rothman, R.B. and Herkenham, M., Physiological regulation of neurohypophyseal κ-opiate receptors, 398
Bunarević, A., see Lacković, Z., 199
Burnstock, G., see Jackowski, A., 159
Byers, M.R. and Costello, R.J., Cation-binding sites in trigeminal ganglia and maxillary nerve: unusual reactivity of perikarya, stem axons and satellite cells, 125

Cadwallader, L.B., see Landfield, P.W., 47
Carlen, P.L., see Stewart, P.A., 12
Caudle, R.M. and Isaac, L., A novel interaction between dynorphin(1–13) and an *N*-methyl-D-aspartate slice, 329
Chader, G.J., see Rodrigues, M., 389
Chang, F.-C.T., see Mark, G.P., 137
Charron, L., see Peyronnard, J.M., 295
Cheetham, S.C., Crompton, M.R., Katona, C.L.E. and Horton, R.W., Brain 5-HT_2 receptor binding sites in depressed suicide victims, 272
Ching, M., Valenca, M. and Negro-Vilar, A., Acute ethanol treatment lowers hypophyseal portal plasma luteinizing hormone-releasing hormone (LH-RH) and systemic plasma LH levels in orchidectomized rats, 325
Costello, R.J., see Byers, M.R., 125
Craik, R.L., see Levin, B.E., 261
Crockard, A., see Jackowski, A., 159
Crompton, M.R., see Cheetham, S.C., 272

Damjanov, I., see Lackovic, Z., 199
Davies, R.O., see Kubin, L., 215
De Keyser, J., Dierckx, R., Vanderheyden, P., Ebinger, G. and Vauquelin, G., D_1 dopamine receptors in human putamen, frontal cortex and calf retina: differences in guanine nucleotide regulation of agonist binding and adenylate cyclase stimulation, 77
Delgado-Garcia, J.M., Escudero, M., Torres, B., Portillo, F. and Pásaro, R., Behavioral and morphological effects of oculomotor nucleus lesion on abducens internuclear neurons in the cat, 333
De Mello, F.G., see De Mello, M.C.F., 166
De Mello, M.C.F., Klein, W.L. and De Mello, F.G., L-Glutamate evoked release of GABA from cultured avian retina cells does not require glutamate receptor activation, 166
Dierckx, R., see De Keyser, J., 77
Dryer, S.E., Excitatory amino acid-evoked membrane currents and excitatory synaptic transmission in lamprey reticulospinal neurons, 173

Eaton, R.C., see Pehek, E.A., 70
Ebinger, G., see De Keyser, J., 77
Escudero, M., see Delgado-Garcia, J.M., 333

Fields, R.D. and Waxman, S.G., Regional membrane heterogeneity in premyelinated CNS axons: factors influencing the binding of sterol-specific probes, 231
Fujitsuka, N., Kori, A.A., Sokabe, M. and Ito, F., Modification of sensory-terminal responses and membrane structure of frog muscle spindle by collagenase, 243
Fujitsuka, N., see Sokabe, M., 254
Furukawa, T., see Shibata, K., 117

Gibson, M.J., see Silverman, A.-J., 367
Goldberg, S.J. and McClung, J.R., Orthodromic activation of juxta-abducens neurons following sixth nerve stimulation in the cat, 350
Gosnell, B.A., see Krahn, D.D., 63
Grelot, L., Iscoe, S. and Bianchi, A.L., Effects of amino acids on the excitability of respiratory bulbospinal neurons in solitary and para-ambigual regions of medulla in cat, 27
Grill, H.J., see Mark, G.P., 137

Hackett, J., see Rodrigues, M., 389
Hand, P.J., see Levin, B.E., 261
Hattori, Y., Kasai, M., Uesugi, S., Kawata, M. and Yamashita, H., Atrial natriuretic polypeptide depresses angiotensin II induced excitation of neurons in the rat subfornical organ in vitro, 355
Hayakawa, E.M., see Stewart, P.A., 12
Heavens, R.P., see Sirinathsinghji, D.J.S., 101
Herkenham, M., see Brady, L.S., 398
Hicks, T.P., see Kaneko, T., 360
Hollinden, G.E., see Sanchez-Ramos, J.R., 183
Hori, T., see Shibata, M., 37
Horton, R.W., see Cheetham, S.C., 272
Hull, E.M., see Pehek, E.A., 70

Ikeda, M., see Malatynska, E., 395
Isaac, L., see Caudle, R.M., 329
Iscoe, S., see Grelot, L., 27
Ito, F., see Fujitsuka, N., 243
Ito, F., see Sokabe, M., 254

Jackowski, A., Crockard, A. and Burnstock, G., Ultrastructure of serotonin-containing nerve fibres in the middle cere-

bral artery of the rat and evidence for its localisation within catecholamine-containing nerve fibres by immunoelectron microscopy, 159
Jakupčević, M., see Lacković, Z., 199
Judge, P.W., see Phillips, D.P., 281

Kaneko, T. and Hicks, T.P., Baclofen and γ-aminobutyric acid differentially suppress the cutaneous responsiveness of primary somatosensory cortical neurones, 360
Kasai, M., see Hattori, Y., 355
Katona, C.L.E., see Cheetham, S.C., 272
Kawata, M., see Hattori, Y., 355
Kelly, J.B., see Phillips, D.P., 281
Kiyohara, T., see Shibata, M., 37
Klein, W.L., see De Mello, M.C.F., 166
Knöpfel, T., see Zeise, M.L., 373
Koch, R., see Reiser, G., 338
Kokoris, G.J., see Silverman, A.-J., 367
Kori, A.A., see Fujitsuka, N., 243
Kori, A.A., see Sokabe, M., 254
Kostović, I., see Lacković, Z., 199
Krahn, D.D., Gosnell, B.A., Levine, A.S. and Morley, J.E., Behavioral effects of corticotropin-releasing factor: localization and characterization of central effects, 63
Kubin, L. and Davies, R.O., Sites of termination and relay of pulmonary rapidly adapting receptors as studied by spike-triggered averaging, 215

Lacković, Z., Jakupčević, M., Bunarević, A., Damjanov, I., Relja, M. and Kostović, I., Serotonin and norepinephrine in the spinal cord of man, 199
Lakos, S. and Basbaum, A.I., An ultrastructural study of the projections from the midbrain periaqueductal gray to spinally projecting, serotonin-immunoreactive neurons of the medullary nucleus raphe magnus in the rat, 383
Landfield, P.W., Cadwallader, L.B. and Vinsant, S., Quantitative changes in hippocampal structure following long-term exposure to Δ^9-tetrahydrocannabinol: possible mediation by glucocorticoid systems, 47
Laribi, C., see Simonnet, G., 403
Lauber, A.H. and Whalen, R.E., Muscarinic cholinergic modulation of hypothalamic estrogen binding sites, 21
Lavoie, J., see Peyronnard, J.M., 295
Legendre, P., see Simonnet, G., 403
LeRoith, D., see Ota, A., 1
LeRoith, D., see Rodrigues, M., 389
Levin, B.E., Craik, R.L. and Hand, P.J., The role of norepinephrine in adult rat somatosensory (SmI) cortical metabolism and plasticity, 261
Levine, A.S., see Krahn, D.D., 63
Lowe Jr., W.L., see Ota, A., 1

MacVicar, B., see Walz, W., 321
Malatynska, E., Serra, M., Ikeda, M., Biggio, G. and Yamamura, H.I., Modulation of GABA-stimulated chloride influx by β-carbolines in rat brain membrane vesicles, 395
Malchow, R.P. and Yazulla, S., Light adaptation of rod and cone luminosity horizontal cells of the retina of the goldfish, 225
Mark, G.P., Scott, T.R., Chang, F.-C.T. and Grill, H.J., Taste responses in the nucleus tractus solitarius of the chronic decerebrate rat, 137
Mayfield, D., see Wilcox, R.E., 190
Mazzuca, M., see Beauvillain, J.C., 315
McBride, C.S., see Sirinathsinghji, D.J.S., 101
McClung, J.R., see Goldberg, S.J., 350
Messier, J.P., see Peyronnard, J.M., 295
Mitchell, V., see Beauvillain, J.C., 315
Morley, J.E., see Krahn, D.D., 63
Mudie, E., see Wilcox, R.E., 190

Nahin, R.L., Immunocytochemical identification of long-ascending, peptidergic lumbar spinal neurons terminating in either the medial or lateral thalamus in the rat, 345
Nakamura, T., see Ozawa, S., 85
Nakashima, T., see Shibata, M., 37
Negro-Vilar, A., see Ching, M., 325
Normann, R.A., Perlman, I. and Anderton, P.J., Modulation of cone-to-horizontal cell signal transmission in the turtle retina by magnesium ions, 95

Ota, A., Shemer, J., Pruss, R.M., Lowe Jr., W.L. and LeRoith, D., Characterization of the altered oligosaccharide composition of the insulin receptor on neural-derived cells, 1
Ozawa, S., Nakamura, T. and Yuzaki, M., Cation permeability change caused by L-glutamate in cultured rat hippocampal neurons, 85

Pásaro, R., see Delgado-Garcia, J.M., 333
Pehek, E.A., Warner, R.K., Bazzett, T.J., Bitran, D., Band, L.C., Eaton, R.C. and Hull, E.M., Microinjection of *cis*-flupenthixol, a dopamine antagonist, into the medial preoptic area impairs sexual behavior of male rats, 70
Perlman, I., see Normann, R.A., 95
Peyronnard, J.M., Charron, L., Lavoie, J., Messier, J.P. and Bergouignan, F.X., A comparative study of the effects of chronic axotomy, crush lesion and re-anastomosis of the rat sural nerve on horseradish peroxidase labelling of primary sensory neurons, 295
Phillips, D.P., Judge, P.W. and Kelly, J.B., Primary auditory cortex in the ferret (*Mustela putorius*): neural response properties and topographic organization, 281
Portillo, F., see Delgado-Garcia, J.M., 333
Pruss, R.M., see Ota, A., 1

Rajagopalan, S., see Rodrigues, M., 389
Reiser, G., Binmöller, F.-J. and Koch, R., Memantine (1-amino-3,5-dimethyladamantane) blocks the serotonin-induced depolarization response in a neuronal cell line, 338
Relja, M., see Lacković, Z., 199
Rodrigues, M., Waldbillig, R.J., Rajagopalan, S., Hackett, J., LeRoith, D. and Chader, G.J., Retinal insulin receptors: localization using a polyclonal anti-insulin receptor antibody, 389
Roman, F. and Soumireu-Mourat, B., Behavioral dissociation of anterodorsal and posteroventral hippocampus by subseizure stimulation in mice, 149
Rosenthal, M., see Sanchez-Ramos, J.R., 183
Rothman, R.B., see Brady, L.S., 398

Sanchez-Ramos, J.R., Hollinden, G.E., Sick, T.J. and Rosenthal, M., 1-Methyl-4-phenylpyridinium (MPP^+) increases oxidation of Cytochrome-*b* in rat striatal slices, 183
Scott, T.R., see Mark, G.P., 137
Serra, M., see Malatynska, E., 395
Shemer, J., see Ota, A., 1
Shibata, K. and Furukawa, T., The mammillary body, a poten-

tial site of action of neurotensin in passive avoidance behavior in rats, 117
Shibata, M., Hori, T., Kiyohara, T. and Nakashima, T., Convergence of skin and hypothalamic temperature signals on the sulcal prefrontal cortex in the rat, 37
Sick, T.J., see Sanchez-Ramos, J.R., 183
Silverman, A.-J., Kokoris, G.J. and Gibson, M.J., Quantitative analysis of synaptic input to gonadotropin-releasing hormone neurons in normal mice and *hpg* mice with preoptic area grafts, 367
Simonnet, G., Legendre, P., Laribi, C., Allard, M. and Vincent, J.D., Localization of angiotensin II binding sites on neuronal and glial cells of cultured mouse spinal cord: an autoradiographic study, 403
Sirinathsinghji, D.J.S., Heavens, R.P. and McBride, C.S., Dopamine-releasing action of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) and 1-methyl-4-phenylpyridine (MPP^+) in the neostriatum of the rat as demonstrated in vivo by the push–pull perfusion technique: dependence on sodium but not calcium ions, 101
Sokabe, M., Fujitsuka, N., Kori, A.A. and Ito, F., Effects of cyclic nucleotides and calcium on transduction and encoding processes in frog muscle spindle, 254
Sokabe, M., see Fujitsuka, N., 243
Soumireu-Mourat, B., see Roman, F., 149
Spirduso, W.W., see Wilcox, R.E., 190
Stewart, P.A., Hayakawa, E.M. and Carlen, P.L., Ethanol and pentobarbital in combination increases blood–brain barrier permeability to horseradish peroxidase, 12

Tan, D.-P. ansd Tsou, K., Intranigral injection of dynorphin in combination with substance P on striatal dopamine metabolism in the rat, 310
Torres, B., see Delgado-Garcia, J.M., 333
Tramu, G., see Beauvillain, J.C., 315
Tsou, K., see Tan, D.-P., 310

Uesugi, S., see Hattori,Y., 355

Valenca, M., see Ching, M., 325
Vanderheyden, P., see De Keyser, J., 77
Vauquelin, G., see De Keyser, J., 77
Vincent, J.D., see Simonnet, G., 403
Vinsant, S., see Landfield, P.W., 47

Waldbillig, R.J., see Rodrigues, M., 389
Walz, W. and MacVicar, B., Electrophysiological properties of glial cells: comparison of brain slices with primary cultures, 321
Warner, R.K., see Pehek, E.A., 70
Waxman, S.G., see Fields, R.D., 231
Whalen, R.E., see Lauber, A.H., 21
White, E.L., see Benshalom, G., 377
Wilcox, R.E., Mudie, E., Mayfield, D., Young, R.K. and Spirduso, W.W., Movement initiation characteristics in young adult rats in relation to the high- and low-affinity agonist states of the striatal D_2 dopamine receptor, 190

Yamamura, H.I., see Malatynska, E., 395
Yamashita, H., see Hattori, Y., 355
Yazulla, S., see Malchow, R.P., 225
Young, R.K., see Wilcox, R.E., 190
Yuzaki, M., see Ozawa, S., 85

Zeise, M.L., Knöpfel, T. and Zieglgänsberger, W., (±)-β-Parachlorophenylglutamate selectively enhances the depolarizing response to L-homocysteic acid in neocortical neurons of the rat: evidence for a specific uptake system, 373
Zieglgänsberger, W., see Zeise, M.L., 373